



F i g . 1



F i g . 2



F i g . 3

18
↓

41
↓

42
↓

43
↓

44
↓

45
↓

NAME DATA	DATA OF TELEPHONE NUMBER	DATA OF ELECTRICAL MAIL ADDRESS	DATA OF FACSIMILE NUMBER	KEYWORD
:	:	:	:	:

F i g . 4

The diagram illustrates the structure of MAP DATA. At the top, the title "MAP DATA" is centered. Below it is a table with four columns: "WIRELESS LAN ACCESS POINT", "POSITION SETTING DATA", "CONNECTION DATA", and "SERVICE DATA". The first column contains entries "3-1", "3-2", and "3-n". The second column contains three dots ("⋮") indicating continuation. The third column also contains three dots ("⋮"). The fourth column contains two dots ("⋮"). Above the table, four labels are connected by leader lines: "20" points to the top-left corner; "21" points to the header "MAP DATA"; "22" points to the top-right corner; and "40" points to the top edge of the fourth column. An arrow labeled "15A" points downwards from the top right towards the table.

MAP DATA			
WIRELESS LAN ACCESS POINT	POSITION SETTING DATA	CONNECTION DATA	SERVICE DATA
3-1			
3-2			
⋮	⋮	⋮	⋮
3-n			

Fig. 5





Fig. 6


15B

WIRELESS LAN ACCESS POINT	POSITION SETTING DATA	CONNECTION DATA	SERVICE DATA
3-1			
3-2			
:	:	:	
3-n			

Fig. 7



F i g . 8



୬






Fig. 10



F i g . 1 1



F i g . 1 2

